

Prog.	Description	Amount
building no. 1 - Ground floor - Warehouse		
1	n. 1 metal shelf, with 4 shelves for 5 compartments (80 x 160 x 250 cm), with inside:	
2	1 lot of wooden profiles; n. 221 automax brackets h 55; n. 1 wooden pallet;	
3	gray coffee table;	1
4	low black padded office armchair with 5 wheels;	1
5	Russel Hobbs toaster;	1
6	Philips kettle;	1
7	microwave Carrefour Home;	1
8	small refrigerator (52 x 52 x 88 cm);	1
9	2-bay gray metal shelf, each with 4 shelves for 5 compartments (206 x 139 x 42 cm);	1
10	gray metal shelf with 5 spans, each with 4 shelves for 5 compartments (515 x 139 x 42 cm);	1
11	high staircase with 8 steps;	1
12	n. 1 gray metal shelf with 2 spans, each with 4 shelves for 5 compartments (206 x 139 x 42);	1
13	wooden pallets;	1
14	2-door dark orange metal cabinet, 4 shelves for 5 compartments (100 x 56 x 200 cm);	1
15	lot of paints, various models and brands;	1
16	Epson EMP-DM1 projector;	1
17	500 liter, 10 bar FINI compressor;	1
18	FROMM electric strapping machine with relative battery pack;	1
19	green plastic strap, with relative green metal strap wrapping trolley with wheels;	1
20	TECNA welding machine;	1
21	separè in black metal (180 x 150 cm);	2
22	separè in black metal (180 x 100 cm);	2
23	workbench (80 x 100 x 90 cm);	1
24	bench vise;	1
25	batch of spray paints, various models;	1
26	wooden box;	1
27	large green plastic basket;	1
28	broom	1
29	white metal wall mounted first aid cabinets;	2
30	square wall mirror (side 54 cm), with white metal frame, two integrated bulbs;	1

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description	
31	electric heater;	1

	N.	Good	Brand	Features
32	1200	Screw M6 PO 504		
33	500	Screw M10 PO 265		
34	350	Screw M12 PO265		
35	575	Screw M16 PO 265		
36	820	Screw M20 PO 265		
37	8	PO 655 filter regulator, with pressure gauge	Sitecna	1/4 "
38	1	PO 655 filter regulator, without pressure gauge	Sitecna	1/4 "
39	4	PO 387 filter regulator	Sitecna	1/2 "
40	157	Filter regulator	Norgren	1/4 "
41	40	Pressure gauge		1/8 "
42	32	Pressure gauge		1/4 "
43	7	Pressure gauge	Asco	1/4 "
44	24	Pressure gauge		1/8 "
45	8	Pressure gauge	Micro-measures	1/8 "
46	17	Pressure gauge	Micro-measures	1/4 "
47	167	Pressure gauge		1/8 "
48	3	PO 170 MB Valveservice filter regulator	Maxseal	1/4 "
49	2	Filter regulator	Maxseal	1/2 "
50	4	Filter regulator, with pressure gauge	Fisher	1/4 "
51	41	Pressure gauge	Norgren	1/4 "
52	38	Filter regulator	Micro-measures	1/4 "
53	10	Filter regulator, with pressure gauge	Micro-measures	1/4 "
54	4	Pressure gauge	Fimet	1/8 "
55	5	PO 130 pressure gauge	Wika	1/4 "

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description			
56	4	Pneumatic lamp	Parker	
57	11	Filter regulator	Norgren	1/4 "
58	9	Filter regulator, with mounting brackets	Norgren	1/4 "
59	5	Filter regulator	Norgren	3/4 "
60	5	Filter regulator	Asco	3/4 "
61	40	PO 102 quick exhaust	Pneumax	1/4 "
62	58	PO 102 quick exhaust	Pneumax	1/2 "
63	7	PO 615 flow regulator	Pneumax	1/4 "
64	1	PO 552 flow regulator	Pneumax	1/2 "
65	1	PO 146 flow regulator	Pneumax	1 "
66	103	Quick discharge	Sitecna	1/4 "
67	70	Quick discharge	Sitecna	1/2 "
68	2	Quick discharge	Sitecna	1 "
69	11	PO 644 flow regulator	Sitecna	1/4 "
70	15	PO 387 flow regulator	Sitecna	1/2 "
71	30	Quick exhaust PO 958	Maxseal	1/4 "
72	40	Quick exhaust PO 958	Maxseal	1/2 "
73	10	PO 97 quick exhaust	Maxseal	3/4 "
74	2	Quick discharge	Maxseal	1 "
75	141	Quick discharge	Metal Work	1/4 "
76	47	Quick discharge	Metal Work	1/2 "
77	49	Flow regulator	Metal Work	1/4 "
78	29	Flow regulator	Metal Work	1/2 "
79	36	Flow regulator		1/4 "
80	13	Flow regulator		1/2 "
81	82	Quick discharge	Camozzi	1/4 "
82	31	Quick discharge	Camozzi	1/2 "
83	3	Flow regulator	Camozzi	1/4 "

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description			
84	8	Flow regulator	Camozzi	1/2 "
85	6	Quick discharge	Pour	1/4 "
86	2	Quick discharge	SMC	3/4 "
87	1	Quick discharge	Metal Work	1/4 "
88	24	Quick discharge	Metal Work	1/2 "
89	8	Quick discharge	Metal Work	3/4 "
90	9	Flow regulator	Metal Work	1/4 "
91	7	Flow regulator	Metal Work	1/2 "
92	115	Castle max F14		
93	141	Pin max 36 mm		
94	17	Castle max F14		
95	312	Pin max 36 mm		
96	91	Pin max 36 mm		
97	16	Pin min 46 mm		
98	2	Filter regulator	Asco	1/4 "
99	38	Filter regulator, with pressure gauge	Asco	1/4 "
100	45	Filter regulator	Asco	1/4 "
101	10	Filter regulator	Asco	1/2 "
102	1	PO 615 filter regulator	Pneumax	1/4 "
103	7	PO 526 filter regulator	Pneumax	1/4 "
104	5	Filter regulator	Metal Work	1/4 "
105	5	Filter regulator	Metal Work	1/2 "
106	2	Solenoid	Maxseal	1/4 "
107	7	Solenoid	Maxseal	1/4 "
108	1	Solenoid	Maxseal	1/4 "
109	2	Solenoid	Maxseal	1/2 "
110	3	Solenoid	Maxseal	1/4 "
111	3	Solenoid	Nadi	1/4 "
112	1	Solenoid, with coil	Bifold	1/4 "
113	1	Solenoid	Norgren	1/4 "
114	6	Solenoid	Asco	1/4 "
115	1	Solenoid	Asco	1/4 "
116	1	Solenoid	Asco	1/4 "
117	11	Solenoid	Asco	1/4 "
118	3	Solenoid	Asco	1/4 "

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description			
119	2	Solenoid	Asco	1/4 "
120	3	Solenoid	Asco	1/4 "
121	1	Solenoid	Asco	1/4 "
122	7	Solenoid	Asco	1/4 "
123	1	Solenoid	Asco	1/2 "
124	1	Solenoid	Asco	1/4 "
125	2	Solenoid	Asco	1/4 "
126	3	Solenoid	Asco	1/4 "
127	17	Solenoid, without coil	Norgren	1/4 "
128	1	Solenoid	RGS	1/4 "
129	3	Solenoid	Asco	1/4 "
130	110	Namur plate	Automax	
131	21	Namur plate	Norgren	
132	13	Micro box plate		
133	6	Perforated panel plate		
134	5	Block plate		
135	24	Lever plate		
136	23	Solenoid plate		
137	4	Bracket		
138	42	Plate varies		
139	3	Pneumatic block		
140	2	Panel plate not perforated		
141	94	Micro box bracket	Money	H45, H55
142	86	Micro box bracket	Automax	H55
143	1	Micro box bracket	Automax	H75
144	160	Micro box bracket	THERE IS	H45
145	20	Micro box bracket	THERE IS	H55
146	152	Micro box bracket	THERE IS	H75
147	28	Micro box bracket	Money	H45, H55
148	93	Micro box bracket	Automax	H45
149	108	Micro box bracket	Automax	H55
150	4	Distributor	Univer	3/4 "
151	2	PO 1075 distributor	Pneumax	3/4 "
152	3	Distributor	SMC	3/4 "
153	4	Booster PO 809	STI	1/4 "

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description			
154	7	PO 297 distributor	Norgren	1 "
155	3	Booster	Fisher	3/4 "
156	2	PO 387 distributor	Sitecna	1/2 "
157	4	Lock up	YTC	1/4 "
158	1	Booster	YTC	1/4 "
159	1	Lock up	SMC	1/4 "
160	1	PO 580 flow regulator	Norgren	3/4 "
161	12	Distributor	Maxseal	1/4 "
162	5	Distributor	Maxseal	1/2 "
163	5	Distributor	Metal Work	1/2 "
164	1	Distributor	Metal Work	1/4 "
165	2	Lock up PO 499	Sitecna	1/4 "
166	1	PO 499 pressure reducer	Sitecna	1/4 "
167	15	Distributor	Hafner	1/4 "
168	9	PO 286 distributor	Hafner	3/4 "
169	2	Distributor	Norgren	1/2 "
170	2	Distributor	Camozzi	1/2 "
171	11	Valve	Univer	3/4 "
172	2	PO 387 distributor	Sitecna	1/2 "
173	5	Solenoid	Nadi	1/4 "
174	13	RDO Ø 1/8 " - 1/4"	Metal Work	Right
175	1	RDO Ø 1/8 " - 1/4"	Metal Work	Curve
176	4	RDO Ø 1/8 " - 1/4"	Swagelok	Right
177	4	RDO Ø 1/8 " - 1/4"	Swagelok	Curve
178	35	RDO Ø 6 - 1/8 "	Metal Work	Right
179	10	RDO Ø 6 - 1/8 "	Metal Work	Curve
180	134	RDO Ø 6 - 1/4 "	Metal Work	Right
181	25	RDO Ø 6 - 1/4 "	Metal Work	Curve
182	1	RDO Ø 8 - 1/8 "	Metal Work	Right
183	109	RDO Ø 8 - 1/4 "	Metal Work	Right
184	51	RDO Ø 8 - 1/4 "	Metal Work	Curve
185	21	RDO Ø 8 - 1/8 "PO 137	ITE	Right
186	21	RDO Ø 8 - 1/8 "PO 137	ITE	Curve
187	12	RDO Ø 8 - 1/4 "	Parker	Curve

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description			
188	56	RDO Ø 8 - 1/8 "PO 433	Swagelok	Right
189	3	RDO Ø 8 - 1/4 "	Swagelok	Right
190	48	RDO Ø 10 - 1/4 "	Metal Work	Right
191	24	RDO Ø 10 - 1/4 "	Metal Work	Curve
192	46	RDO Ø 10 - 1/2 "	Metal Work	Right
193	2	RDO Ø 10 - 1/2 "	Metal Work	Curve
194	8	RDO Ø 10 - 1/4 "	Duolok / Unilok	Right
195	2	RDO Ø 10 - 1/2 "	Duolok / Unilok	Right
196	139	RDO Ø 10 - 1/4 "PO 302	ITE	Right
197	5	RDO Ø 10 - 1/4 "	Parker	Right
198	4	RDO Ø 10 - 1/4 "	Parker	Curve
199	3	RDO Ø 10 - 1/4 "PO 314	Swagelok	Right
200	7	RDO Ø 10 - 1/4 "PO 314	Swagelok	Curve
201	6	RDO Ø 10 - 1/2 "PO 842	Swagelok	Right
202	9	RDO Ø 10 - 1/4 "	Gyrolok	Right
203	51	RDO Ø 12 - 1/4 "	Metal Work	Right
204	39	RDO Ø 12 - 1/4 "	Metal Work	Curve
205	51	RDO Ø 12 - 1/2 "	Metal Work	Right
206	44	RDO Ø 12 - 1/2 "	Metal Work	Curve
207	1	RDO Ø 12 - 1/4 "	Duolok / Unilok	Right
208	7	RDO Ø 12 - 1/2 "	Duolok / Unilok	Right
209	52	RDO Ø 12 - 1/4 "PO 137	ITE	Right
210	27	RDO Ø 12 - 1/4 "PO 137	ITE	Curve
211	35	RDO Ø 12 - 1/2 "PO 137	ITE	Right
212	38	RDO Ø 12 - 1/2 "PO 137	ITE	Curve
213	3	RDO Ø 12 - 1/4 "	Parker	Right
214	9	RDO Ø 12 - 1/4 "	Parker	Curve
215	7	RDO Ø 12 - 1/2 "	Parker	Curve
216	1	RDO Ø 12 - 1/4 "	Swagelok	Right

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description			
217	22	RDO Ø 12 - 1/2 "PO 842	Swagelok	Right
218	47	RDO Ø 12 - 1/2 "PO 842	Swagelok	Curve
219	2	RDO Ø 12 - 1/2 "	Gyrolok	Right
220	14	RDO Ø 12 - 1/2 "	Gyrolok	Curve
221	79	RDO Ø 1/2 " - 1/2" PO 342	Swagelok	Right
222	58	RDO Ø 1/2 " - 1/2" PO 628	Swagelok	Curve
223	1	RDO Ø 18 - 3/4 "	Swagelok	Right
224	20	RDO Ø 19.05x1.24 - 3/4 "	Duolok / Unilok	Right
225	24	RDO Ø 19.05x1.24 - 3/4 "	Duolok / Unilok	Curve
226	1	RDO Ø 19.05x1.24 - 3/4 "	Parker	Right
227	2	RDO Ø 20 - 3/4 "PO 314	Swagelok	Right
228	5	RDO Ø 20 - 3/4 "PO 314	Swagelok	Curve
229	100	PO 229 cable gland		
230	217	Atex reduction PO 229		
231	41	Micro box bracket	Automax	H55
232	41	Micro box bracket	Automax	H75
233	47	Micro box bracket	Money	H75
234	15	Micro box bracket	Rotork	
235	6	DVC bracket		
236	90	Linkage castle		
237	30	Lever pin, with collars		
238	50	Lever brackets		
239	50	Leverage flags		
240	2	PO 575 filter regulator	Norgren	1/4 "
241	6	PO 99 filter regulator	Norgren	1/2 "

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description			
242	9	PO 337 filter regulator	Norgren	1/2 "
243	24	PO 337 filter regulator	Norgren	1/2 "
244	4	PO 600 filter regulator	Norgren	1/4 "
245	3	Micro box	Topworx	
246	2	Micro box	Money	
247	2	Micro box	Flowserve	
248	1	Micro box	Flowserve	
249	3	Micro box	Flowserve	
250	1	Positioner	Siemens	
251	2	Sensor	Fisher	
252	3	WDB cover		
253	75	Positioner bracket (honeywell mounting)		
254	45	I / P converter	ABB	
255	9	Micro box	THERE IS	
256	2	Micro box	THERE IS	
257	1	Micro box (case only)	Go-Switch	
258	14	Position indicator	THERE IS	
259	4	Positioner	Honeywell	
260	6	Rubberized insert		
261	3	Shaped panel		

building no. 1 - Ground floor – Warehouse	
262	n. 1 metal cabinet with 4 shelves for 5 compartments (100 x 40 x 175 cm);
building no. 1 - Ground Floor - Changing rooms	
263	n. 2 metal cabinets with 2 doors, with 1 shelf for 2 compartments for each door (80 x 40 x 180 cm);
264	n. 1 metal locker with single door, closed and without keys (40 x 40 x 180 cm);

The Quantity shown may be subject to change
In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description
265	n. 2 metal cabinets with 2 doors, with 1 shelf for 2 compartments for each door (100 x 40 x 180 cm). In one of the two cabinets both doors are locked;
building no. 1 - External area	
266	Outside the building n. 1, finally, we find:
267	n. 2 large green plastic bins for waste collection;
268	n. 3 laying outdoor metal ashes;

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

GOBID INTERNATIONAL AUCTION GROUP SRL
VIA P.O. VIGLIANI , 19
20148 MILANO
P.IVA 09441470961