

| Prog. | PALLET | OFFICE MAG | Width | Length to | Height | Volume  | Weight | Content  | Value Kg |
|-------|--------|------------|-------|-----------|--------|---------|--------|--|----------|
| 1     | 1      | PC         | 800   | 650       | 600    | 0,31    | 290    | Baskets Mechanical components prototype electric press | 0,25     |
| 2     | 2      | PC         |       |           |        | 0       | 295    | Baskets Mechanical components prototype electric press | 0,25     |
| 3     | 3      | PC         |       |           |        | 0       | 450    | Baskets Mechanical components prototype electric press | 0,25     |
| 4     | 4      | PC         |       |           |        | 0       | 380    | Baskets Mechanical components prototype electric press | 0,25     |
| 5     | 5      | PC         |       |           |        | 0       | 190    | Baskets Mechanical components prototype electric press | 0,25     |
| 6     | 6      | PC         | 800   | 1200      | 550    | 0, S28  | 1030   | cylinder hfbsl220                                      | 0,8      |
| 7     | 7      | PC         | 800   | 1200      | 550    | 0,53    | 1030   | cylinder hfbsl220                                      | 0,8      |
| 8     | 9      | PC         | 800   | 1200      | 350    | 0.336:  | 360    | Hfbs220 cylinders                                      | 0,8      |
| 9     | 10     | PC         | 800   | 1200      | 350    | 0.336 ' | 390    | pistons hfbs220  | 0,8      |
| 10    | 12     | PC         | 800   | 1200      | 500    | 0,48    | 560    | cylinder assembled 2 pieces                            | 0,8      |
| 11    | 13     | PC         | 800   | 1200      | 750    | 0,72    | 505    | cylinders hfb22o 2 pieces                              | 0,8      |
| 12    | 14     | PC         | 800   | 1200      | 530    | 0,51    | 650    | cylinders hfbsl230 2 pieces                            | 0,8      |
| 13    | 15     | PC         | 800   | 1200      | 700    | 0,67    | 1350   | cylinder hfb22o 2 pieces                               | 0,8      |
| 14    | 16     | PC         | 840   | 550       | 470    | 0,22    | 500    | stpc63o cylinder 1                                     | 0,8      |
| 15    | 17     | PC         | 800   | 1200      | 600    | 0,58    | 1505   | various cylinder bodies                                | 0,8      |
| 16    | 18     | PC         | 800   | 1200      | 400    | 0,38    | 585    | Parts of cylinders                                     | 0,8      |
| 17    | 19     | PC         | 800   | 1200      | 630    | 0,61    | 800    | Parts of cylinders                                     | 0,8      |
| 18    | 20     | PC         | 800   | 1200      | 370    | 0.355.  | 320    | Parts of cylinders                                     | 0,8      |
| 19    | 21     | PC         | 830   | 600       | 450    | 224     | 700    | 2 stpc250 jacks  | 1        |
| 20    | 22     | PC         | 800   | 1200      | 400    | 0,38    | 410    | epb220 lever fulcrum pin                               | 0,25     |
| 21    | 23     | PC         | 700   | 900       | 400    | 0,25    | 690    | 2 cylinders hfbl220                                    | 0,8      |
| 22    | 24     | PC         | 800   | 1200      | 350    | 0,34    | 265    | Parts of cylinders                                     | 0,8      |
| 23    | 25     | PC         | 800   | 1200      | 700    | 0,67    | 400    | Plasma drilling axis group                             | 0,3      |
| 24    | 26     | PC         | 800   | 1200      | 330    | 0,32    | 705    | racks and guides                                       | 0,8      |
| 25    | 27     | PC         | 800   | 1200      | 270    | 0.259 ' | 215    | parts of cylinders                                     | 0,8      |

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

| Prog. | PALLET | OFFICE MAG | Width | Length to | Height | Volume | Weight | Content   | Value Kg |
|-------|--------|------------|-------|-----------|--------|--------|--------|---|----------|
| 26    | 28     | PC         | 800   | 1200      | 420    | 0,4    | 165    | Soelma engines n ° 35 40 euros cda                          |          |
| 27    | 29     | PC         | 900   | 650       | 500    | 0,29   | 200    | various mechanical parts                                    | 0,35     |
| 28    | 30     | PC         | 800   | 1200      | 370    | 0,36   | 492    | machined cylinders 6 pieces                                 | 0,8      |
| 29    | 31     | PC         | 800   | 1200      | 530    | 0,51   | 580    | various cylinder parts                                      | 0,8      |
| 30    | 33     | PC         | 400   | SOO       | 600    | 0,12   | 50     | spindle assembly with plasma clamps                         |          |
| 31    | 34     | PC         | 800   | 1200      | 650    | 0,62   | 55     | configurator hypertherm electronic parts                    |          |
| 32    | 35     | PC         | 560   | 760       | 500    | 0,21   | 165    | epb22o servo motor number 2                                 |          |
| 33    | 36     | PC         | 800   | 1200      | 1260   | 1,21   | 200    | Various cables n ° 6 + cnc group                            |          |
| 34    | 37     | PC         |       |           |        | 0      | 70     | REFRIGERATOR FOR LIQUIDS EURO COLD                          |          |
| 35    | 39     | PC         | 800   | 750       | 500    | 0,3    | 305    | 3 cylinder bodies + 1 piece syncrono motor                  | 0,8      |
| 36    | 40     | PC         | 800   | 1200      | 700    | 0,67   | 335    | various mechanical parts (jacks)                            | 0,8      |
| 37    | 41     |            | 800   | 2200      | 450    | 0,43   | 295    | torque motor (4000 euros purchase)                          |          |
| 38    | 42     | PC         | 800   | 1200      | 400    | 0,38   | 440    | mechanical parts (billelle pins supports)                   | 0,35     |
| 39    | 43     | PC         | 800   | 800       | 450    | 0,29   | 150    | Mechanical parts for EPB220 (pulleys, pins, etc.) type port | 0,25     |
| 40    | 44     | PC         | 800   | 1200      | 560    | 0,54   | 365    | stpc250 cylinders 2 pieces                                  | 0,8      |
| 41    | 45     | PC         | 800   | 600       | 440    | 0,21   | 600    | Cylinders HFBS170 stroke 250 2 pieces                       | 0,8      |
| 42    | 46     | PC         | 860   | 1200      | 360    | 0,37   | 375    | levers assembled epb220 ptototype                           | 0,25     |
| 43    | 47     | PC         | 800   | 500       | 350    | 0,14   | 30     | support team 2 pieces                                       | 0,25     |
| 44    | 48     | PC         | 600   | 800       | 500    | 0,24   | 250    | reducers and flanges  | 0,25     |
| 45    | 49-02  | PC         | 1000  | 1400      | 1150   | 1,61   | 185    | air tank  | 0,25     |
| 46    | 50     | PC         | 800   | 1200      | 450    | 0,43   | 580    | cylinder parts  | 0,8      |
| 47    | 51     | PC         | 800   | 1200      | 1100   | 1,06   | 425    | electrical cabinet + motor pump unit                        |          |
| 48    | 52     | PC         | 800   | 1200      | 390    | 0,37   | 85     | electronic components                                       |          |
| 49    | 53     | PC         | 800   | 970       | 730    | 0,57   | 440    | three-phase motor n ° 2 (1 new + 1 dated)                   |          |
| 50    | 54     | PC         | 700   | 1100      | 850    | 0,66   | 85     | heat exchanger  | 0,25     |

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

| Prog. | PALLET | OFFICE MAG | Width | Length to | Height | Volume  | Weight | Content  | Value Kg |
|-------|--------|------------|-------|-----------|--------|---------|--------|--|----------|
| 51    | 55     | PC         |       |           |        | 0       | 80     | Cabinet  |          |
| 52    | 56     | PC         | 820   | 1200      | 640    | 0,63    | 150    | 1 electric motor + various mechanical components | 0,35     |
| 53    | 58     | PC         | 800   | 1200      | 460    | 0,44    | 275    | engines complete motorpump unit for RG80 n ° 6   |          |
| 54    | 59     | PC         | 800   | 1200      | 540    | 0,52    | 165    | heads + three-phase motor                        |          |
| 55    | 60     | PC         | 800   | 1200      | 750    | 0,72    | 100    | cable chains plastic                             |          |
| 56    | 61     | PC         | 800   | 1200      | 520    | 0,5     | 620    | Mechanical parts for EPB220 bilelle n "4         | 0,3      |
| 57    | 62     | PC         | 800   | 1200      | 700    | 0,672 ; | 275    | mechanical parts various tanks and casings       | 0,3      |
| 58    | 63     | PC         | 800   | 1200      | 650    | 0,62    | 645    | casing and lanterns for engines                  | 0,3      |
| 59    | 65     | PC         | 800   | 1200      | 500    | 0,48    | 215    | various motors n ° 2 three-phase                 |          |
| 60    | 66     | PC         | 800   | 1200      | 700    | 0,67    | 340    | 1 motor + mechanical parts                       | 0,5      |
| 61    | 67     | PC         | 800   | 1200      | 600    | 0,576 ; | 365    | Bosh hydraulic blocks n ° 10                     | 0,8      |
| 62    | 70     | PC         | 1640  | 700       | 430    | 0,49    | 150    | Mechanical parts for EPB220 support castle Motre | 0,3      |
| 63    | 71     | PC         | 800   | 1200      | 520    | 0,5     | 145    | HORBERB IGER group complete with motor pump      | 0,8      |
| 64    | 77     | PC         | 800   | 1200      | 600    | 0,58    | 120    | Asynchronous motors n "3                         |          |
| 65    | 78     | PC         | 840   | 1530      | 240    | 0,31    | 30     | Motor pump support sheet                         | 0,3      |
| 66    | 80     | PC         | 800   | 1200      | 400    | 0,38    | 300    | reducers n ° 5                                   | 0,5      |
| 67    | 81     | PC         | 800   | 1200      | 770    | 0,74    | 225    | motor pump unit for RG80 n3                      |          |
| 68    | 82-02  | PC         | 1200  | 1200      | 800    | 1,15    | 50     | cable sheaths for plastic pipes                  |          |
| 69    | 82-03  | PC         | 800   | 1200      | 870    | 0,84    | 75     | cable sheaths for plastic pipes                  |          |
| 70    | 82-04  | PC         | 800   | 1200      | 1300   | 1,25    | 80     | cable sheaths for plastic pipes                  |          |
| 71    | 82-05  | PC         | 800   | 1200      | 1400   | 1,34    | 85     | cable sheaths for plastic pipes                  |          |
| 72    | 82-06  | PC         | 800   | 1200      | 1100   | 1,06    | 75     | cable sheaths for plastic pipes                  |          |
| 73    | 83     | PC         | 800   | 1200      | 600    | 0,58    | 310    | three-phase asynchronous motor n "3              |          |
| 74    | 84     | PC         | 800   | 1200      | 1100   | 1,06    | 350    | three-phase asynchronous motor n ° 5             |          |
| 75    | 85     | PC         | 800   | 1200      | 670    | 0,64    | 400    | three-phase asynchronous motor n ° 4             |          |

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

| Prog. | PALLET | OFFICE MAG | Width | Length to | Height | Volume  | Weight | Content  | Value Kg |
|-------|--------|------------|-------|-----------|--------|---------|--------|--|----------|
| 76    | 86     | PC         | 800   | 1200      | 500    | 0,48    | 175    | three-phase asynchronous motor n ° 3                             |          |
| 77    | 87     | PC         | 800   | 1200      | 340    | 0,33    | 185    | extensions for intermediates n ° 22                              | 0,5      |
| 78    | 88     | PC         | 800   | 1200      | 450    | 0,43    | 230    | motors and motor pump units n ° 6                                |          |
| 79    | 89     | PC         | 760   | 400       | 500    | 0,15    | 110    | motor pump unit  |          |
| 80    | 90     | PC         | 800   | 1200      | 530    | 0,51    | 330    | three-phase asynchronous motor n ° 3                             |          |
| 81    | 92     | PC         | 800   | 1200      | 450    | 0,43    | 225    | three-phase asynchronous motor n ° 4                             |          |
| 82    | 93     | PC         | 800   | 1200      | 500    | 0,48    | 270    | mechanical parts repeller supports                               | 0,5      |
| 83    | 94     | PC         | 800   | 1200      | 550    | 0,53    | 255    | Asynchronous motors (8) + hydraulic power units                  |          |
| 84    | 99     | PC         | 800   | 1200      | 350    | 0,34    | 315    | intermediaries   | 0,5      |
| 85    | 100    | PC         | 800   | 1200      | 700    | 0,67    | 225    | beveler used, intermediate extensions                            | 0,25     |
| 86    | 101    | PC         | 800   | 1200      | 350    | 0,34    | 215    | intermediate with extensions                                     | 0,25     |
| 87    | 107    | PC         | 800   | 1200      | 450    | 0,43    | 220    | mechanical parts for RG80  | 0,25     |
| 88    | 108    | PC         | 800   | 1200      | 550    | 0,53    | 220    | three-phase asynchronous motor n ° 3                             |          |
| 89    | 110    | PC         | 800   | 1200      | 350    | 0,34    | 740    | plates for mechanics   | 0,35     |
| 90    | 111    | PC         | 800   | 1200      | 650    | 0,62    | 495    | EPB 220 mechanical parts   | 0,25     |
| 91    | 112    | PC         | 800   | 1200      | 450    | 0,43    | 570    | STPC lower table support 12 pcs                                  | 0,35     |
| 92    | 114    | PC         | 800   | 1200      | 450    | 0,43    | 230    | parts of guide cylinders and 3 pistons                           | 0,35     |
| 93    | 116    | PC         | 850   | 1250      | 600    | 0,64    | 100    | Bearings and various mechanical material EPB220 - safety brake - | 1        |
| 94    | 117    | PC         | 800   | 1500      | 450    | 0,54    | 315    | robot mechanical material  | 0,5      |
| 95    | 118    | PC         | 800   | 1200      | 450    | 0,43    | 260    | engines and hydraulic blocks for hybrid n ° 2                    |          |
| 96    | 119    | PC         | 850   | 1250      | 650    | 0,69    | 180    | electric cabinets for hybrid                                     |          |
| 97    | 120    | PC         | 680   | 800       | 400    | 0,22    | 100    | z axis motorized heads   | 0,5      |
| 98    | 121    | PC         | 800   | 1200      | 350    | 0,34    | 320    | connecting rod and lever EPB220 and EPB100                       | 0,25     |
| 99    | 122    | PC         | 800   | 1200      | 550    | 0,53    | 445    | mechanical parts various plates                                  | 0,25     |
| 100   | 123    | PC         | 800   | 1200      | 350    | 0.336 : | 240    | bride and pins   | 0,25     |

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

| Prog. | PALLET | OFFICE MAG | Width | Length to | Height | Volume | Weight | Content   | Value Kg |
|-------|--------|------------|-------|-----------|--------|--------|--------|---|----------|
| 101   | 124    | PC         | 800   | 1200      | 250    | 0,24   | 440    | raising various matrices                                      | 0,25     |
| 102   | 125    | PC         | 800   | 1100      | 400    | 0,35   | 120    | gearboxes n "4 Gudel  |          |
| 103   | 126    | PC         | 800   | 1500      | SSO    | 0,66   | 440    | arm worked  | 0,25     |
| 104   | 127    | PC         | 800   | 1200      | 500    | 0,48   | 65     | electrical connectors   |          |
| 105   | 128    | PC         | 800   | 1200      | 300    | 0,29   | 365    | plates for French mechanical attack                           | 0,25     |
| 106   | 129    | PC         | 800   | 1200      | 550    | 0,53   | 325    | hydraulic blocks and solenoid valves                          | 0,8      |
| 107   | 133    | PC         | 1300  | 1500      | 2000   | 3,9    | 1400   | Copernicus notching machine                                   |          |
| 108   | 134    | PC         | 800   | 1200      | 550    | 0,53   | 135    | pneumatic cylinders + mechanical parts                        | 0,5      |
| 109   | 135-01 | PC         |       |           |        | 0      | 685    | Pallet divided into two 135-1 and 135-2 ex 1300 * 1000 * 1800 | 0,25     |
| 110   | 135-02 |            |       |           |        |        | 115    | various mechanical parts                                      | 0,25     |
| 111   | 136-01 | PC         | 800   | 1200      | 550    | 0,53   | 475    | Cylinders and rods  | 0,8      |
| 112   | 136-02 | PC         | 800   | 1200      | 300    | 0,29   | 460    | Cylinders and rods  | 0,8      |
| 113   | 136-03 | PC         | 800   | 1200      | 500    | 0,48   | 340    | Cylinders and rods  | 0,8      |
| 114   | J36-04 | PC         | 800   | 700       | 300    | 0,17   | 100    | Cylinders and rods  | 0,8      |
| 115   | 136-05 | PC         | 700   | 500       | 400    | 0,14   | 640    | Cylinders and rods  | 0,8      |
| 116   | 136-06 | PC         | 800   | 1000      | 500    | 0,4    | 170    | Cylinders and rods  | 0,8      |
| 117   | 136-07 | PC         | 800   | 1200      | 400    | 0,38   | 390    | Cylinders and rods  | 0,8      |
| 118   | 136-08 | PC         | 800   | 600       | 300    | 0,14   | 125    | Cylinders and rods  | 0,8      |
| 119   | 136-09 | PC         | 800   | 1200      | 550    | 0,53   | 270    | Cylinders and rods  | 0,8      |
| 120   | 136-10 | PC         | 800   | 800       | 800    | 0,51   | 700    | Cylinders and rods  | 0,8      |
| 121   | 136-11 | PC         | 700   | 600       | 700    | 0,29   | 200    | Cylinders and rods  | 0,8      |
| 122   | 136-12 | PC         | 800   | 1200      | 400    | 0,38   | 435    | Cylinders and rods  | 0,8      |
| 123   | 136-13 | PC         | 800   | 1200      | 800    | 768    | 200    | Cylinders and rods  | 0,8      |
| 124   | 136-14 | PC         | 850   | 850       | 450    | 325    | 255    | Cylinders and rods  | 0,8      |
| 125   | 136-15 | PC         | 800   | 600       | 300    | 144    | 105    | Cylinders and rods  | 0,8      |

**The Quantity shown may be subject to change**

*In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.*

| Prog. | PALLET | OFFICE MAG | Width | Length to | Height | Volume | Weight | Content  | Value Kg |
|-------|--------|------------|-------|-----------|--------|--------|--------|--|----------|
| 126   | 136-16 | PC         | 800   | 800       | 650    | 416    | 435    | Cylinders and rods                                     | 0,8      |
| 127   | 136-17 | PC         | 800   | 800       | 400    | 256    | 250    | Cylinders and rods                                     | 0,8      |
| 128   | 136-18 | PC         | 800   | 1200      | 500    | 480    | 640    | Cylinders and rods                                     | 0,8      |
| 129   | 136-19 | PC         | 800   | 1200      | 900    | 864    | 670    | Cylinders and rods                                     | 0,8      |
| 130   | 136-20 | PC         | 800   | 1200      | 350    | 336    | 265    | Cylinders and rods                                     | 0,8      |
| 131   | 137    | PC         | 800   | 1200      | 530    | 509    | 260    | various mechanical parts                               | 0,25     |
| 132   | 138-01 | PC         |       |           |        | 0      | 785    | Pallet split in two 138-1 and 138-2 1000 * 1300 * 1700 | 0,8      |
| 133   | 138-02 | PC         |       |           |        |        | 135    | various mechanical parts                               | 0,8      |
| 134   | 139    | PC         | 700   | 600       | 1900   | 798    | 80     | Cabinet  |          |
| 135   | 140-01 | PC         | 1000  | 1300      | 1300   | 1690   | 380    | Pallet split in two 140-1 and 140-2                    | 0,25     |
| 136   | 140-02 |            |       |           |        |        | 145    | mechanical parts                                       | 0,25     |
| 137   | 141-01 | PC         | 1000  | 1300      | 1300   | 1690   | 225    | Pallet divided into two 141-1 and 141-2                | 0,25     |
| 138   | 141-02 |            |       |           |        |        | 100    | mechanical parts                                       | 0,25     |
| 139   | 142-01 | PC         | 1000  | 1300      | 1300   | 1690   | 250    | Pallet split in two 142-1 and 142-2                    | 0,25     |
| 140   | 142-02 |            |       |           |        |        | 140    | mechanical parts                                       | 0,25     |
| 141   | 144    | PC         | 800   | 1200      | 500    | 480    | 355    | various mechanical parts                               | 0,25     |
| 142   | 145-01 | PC         | 1000  | 1300      | 1900   | 2470   | 225    | Pallet split in two 145-1 and 145-2                    | 0,25     |
| 143   | 145-02 |            |       |           |        |        | 130    | various and commercial mechanical parts                | 0,25     |
| 144   | 146    | PC         | 1050  | 1350      | 1200   | 1701   | 1655   | mechanical parts                                       | 0,25     |
| 145   | 147-01 | PC         | 1050  | 1350      | 1400   | 1985   | 1070   | Screws   | 0,5      |
| 146   | 147-02 |            |       |           |        |        | 300    | Screws   | 0,5      |
| 147   | 148-01 | PC         | 1000  | 1300      | 1300   | 1690   | 825    | Pallet split in two 148-1 and 148-2                    | 0,5      |
| 148   | 148-02 |            |       |           |        |        | 250    | commercial mechanical parts Screws                     | 0,5      |
| 149   | 149-01 | PC         | 1100  | 1500      | 1900   | 3135   | 1000   | Pallet split in two 149-1 and 149-2                    | 0,5      |
| 150   | 149-02 |            |       |           |        |        | 570    | commercial mechanical parts Screws                     | 0,5      |

**The Quantity shown may be subject to change**

*In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.*

| Prog. | PALLET | OFFICE MAG | Width | Length to | Height | Volume | Weight | Content  | Value Kg |
|-------|--------|------------|-------|-----------|--------|--------|--------|--|----------|
| 151   | 150    | PC         | 1100  | 1100      | 1200   | 1452   | 600    | Screws   | 0,5      |
| 152   | 151-01 | PC         | 1000  | 1400      | 1300   | 1820   | 350    | Screws. Fittings, Springs, Seeger (pallet divided in two | 0,5      |
| 153   | 151-02 |            |       |           |        |        | 130    |  | 0,5      |
| 154   | 152    | PC         | 1000  | 1500      | 1200   | 1800   | 1000   | Screws   | 0,5      |
| 155   | 153-1  | PC         | 1000  | 1400      | 1500   | 2100   | 1060   | Screws (pallet divided into two 153-2 and 153-1)         | 0,5      |
| 156   | 153-2  |            |       |           |        |        | 540    |  | 0,5      |
| 157   | 154-01 | PC         | 1000  | 1400      | 1600   | 2240   | 630    | Screws (pallet split in two 154-2 and 154-1)             | 0,5      |
| 158   | 154-02 |            |       |           |        |        | 355    |  | 0,5      |
| 159   | 155    | PC         | 1000  | 1400      | 1200   | 1680   | 940    | Various fittings Screws                                  | 0,5      |
| 160   | 156    | PC         | 800   | 1200      | 1250   | 1200   | 760    | Screws   | 0,5      |
| 161   | 157    | PC         | 800   | 1200      | 530    | 509    | 355    | various mechanical parts                                 | 0,25     |
| 162   | 158    | PC         | 800   | 1200      | 350    | 336    | 55     | crankcase  | 0,25     |
| 163   | 164    | PC         | 500   | 1400      | 250    | 175    | 75     | RDS screws No. 14 (it is not possible to identify codes) | 0,25     |
| 164   | 165    | PC         | 1100  | 1500      | 800    | 1320   | 350    | dowels and plates  | 0,25     |
| 165   | 166    | PC         | 800   | 1200      | 250    | 240    | 55     | Various racks  | 0,25     |
| 166   | 167    | PC         | 1000  | 1200      | 650    | 780    | 195    | various mechanical parts                                 | 0,25     |
| 167   | 168-01 | PC         | 1000  | 1300      | 1750   | 2275   | 475    | Pallet split in two 168 and 168-2                        | 0,25     |
| 168   | 168-02 |            |       |           |        |        | 205    | various mechanical parts according to drawings           | 0,25     |
| 169   | 169-01 | PC         | 1000  | 1300      | 1900   | 2470   | 180    | Pallet split in two 169-1 and 169-2                      | 0,25     |
| 170   | 169-02 | PC         |       |           |        |        | 155    | commercial mechanical parts + gaskets + electrical       | 0,25     |
| 171   | 170-01 | PC         |       |           |        |        | 120    | bearings and seals                                       | 0,25     |
| 172   | 170-02 | PC         |       |           |        |        | 210    |  | 0,25     |
| 173   | 171-01 | PC         | 1000  | 1200      | 1700   | 2040   | 285    | Pallet split in two 171-1 and 171-2                      | 0,25     |
| 174   | 171-02 |            |       |           |        |        | 115    | screws + bearings + fittings                             | 0,25     |
| 175   | 172    | PC         | 800   | 1200      | 800    | 768    | 225    | crankcase  | 0,25     |

**The Quantity shown may be subject to change**

*In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.*

| Prog. | PALLET | OFFICE MAG | Width | Length to | Height | Volume | Weight | Content                                  | Value Kg |
|-------|--------|------------|-------|-----------|--------|--------|--------|--|----------|
| 176   | 173-01 | PC         | 1000  | 1200      | 1500   | 1800   | 160    | Pallet split in two 173-1 and 173-2      | 0,25     |
| 177   | 173-02 |            |       |           |        |        | 80     | commercial gaskets and mechanical parts  | 0,25     |
| 178   | 174-01 | PC         | 1000  | 1000      | 1900   | 1900   | 250    | Pallet split in two 174-1 and 174-2      | 0,25     |
| 179   | 174-02 |            |       |           |        |        | 155    | various commercial mechanical parts      | 0,25     |
| 180   | 175    | PC         | 800   | 1200      | 380    | 365    | 90     | French mechanical casing                 | 0,25     |
| 181   | 177    | PC         | 1500  | 2000      | 900    | 2700   | 70     | mechanical parts machined sheet metal    | 0,25     |
| 182   | 178    | PC         | 800   | 1200      | 450    | 432    | 50     | Electrical cabinet                       |          |
| 183   | 179-01 | PC         | 800   | 1200      | 1300   | 1248   | 55     | Pallet split in two 179-1 and 179-2      | 0,4      |
| 184   | 179-02 |            |       |           |        |        | 90     | fittings, bolts and gaskets              | 0,4      |
| 185   | 180    | PC         | 1000  | 1300      | 1300   | 1690   | 150    | commercial parts fittings screws gaskets | 0,4      |
| 186   | 182    | PC         | 900   | 1200      | 350    | 378    | 50     | crankcase                                | 0,25     |
| 187   | 183    | PC         | 800   | 500       | 350    | 140    | 200    | bearing pin 2 pieces                     | 0,25     |
| 188   | 184    | PC         | 800   | 1600      | 600    | 768    | 145    | GMP hydraulic unit                       | 0,25     |
| 189   | 185    | PC         | 800   | 1200      | 750    | 720    | 235    | motor reducer and asynchronous motors    | 0,5      |
| 190   | 186-01 | PC         | 800   | 1200      | 440    | 422    | 80     | team of cable chains for robots          | 0,25     |
| 191   | 186-02 | PC         | 800   | 1200      | 440    | 422    | 85     | team of cable chains for robots          | 0,25     |
| 192   | 187    | PC         | 800   | 1200      | 300    | 288    | 120    | processed crosspieces                    | 0,25     |
| 193   | 188    | PC         | 900   | 1300      | 400    | 468    | 200    | crankcase                                | 0,25     |
| 194   | 189-01 | PC         | 1000  | 1250      | 1700   | 2125   | 170    | Pallet split in two 189-1 and 189-2      | 0,3      |
| 195   | 189-02 |            |       |           |        |        | 135    | commercial mechanical parts              | 0,3      |
| 196   | 190    | PC         | 600   | 540       | 500    | 162    | 70     | complete motor pump unit for RG25        |          |
| 197   | 192    | PC         | 1000  | 1400      | 1300   | 1820   | 890    | Screws                                   | 0,5      |
| 198   | 194    | PC         | 800   | 1200      | 1200   | 1152   | 195    | Unidentified casing pallets              | 0,25     |
| 199   | 195    | PC         | 800   | 1200      | 500    | 480    | 130    | RG miscellaneous material pallet (pedal) | 0,25     |
| 200   | 196    | PC         | 800   | 1200      | 750    | 720    | 245    | various mechanical material              | 0,25     |

**The Quantity shown may be subject to change**

*In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.*



| Prog. | PALLET | OFFICE MAG | Width | Length to | Height | Volume | Weight | Content                              | Value Kg |
|-------|--------|------------|-------|-----------|--------|--------|--------|--------------------------------------|----------|
| 201   | 197    | PC         | 800   | 1200      | 1100   | 1056   | 225    | Coded cables                         |          |
| 202   | 198    | PC         | 800   | 1200      | 1000   | 960    | 235    | Coded cables                         |          |
| 203   | 199    | PC         | 800   | 1200      | 1250   | 1200   | 230    | Coded cables                         |          |
| 204   | 200    | PC         | 1000  | 1300      | 500    | 650    | 1325   | Molds                                | 0,6      |
| 205   | 201    | PC         | 800   | 1200      |        | 0      | 150    | Coded cables                         |          |
| 206   | 202    | PC         | 800   | 1200      | 800    | 768    | 160    | Coded cables                         |          |
| 207   | 203    | PC         | 700   | 1400      | 650    | 637    | 225    | unidentifiable cables                |          |
| 208   | 204    | PC         | 750   | 1400      | 350    | 368    | 220    | unidentifiable cables                |          |
| 209   | 205    | PC         | 800   | 1200      | 1200   | 1152   | 160    | Unidentifiable cable reels           |          |
| 210   | 206    | PC         | 800   | 1200      | 570    | 547    | 255    | Various unidentifiable cables        |          |
| 211   | 207    | PC         | 800   | 1200      | 500    | 480    | 280    | Multipolar cables                    |          |
| 212   | 208    | PC         | 500   | 1000      | 400    | 200    | 120    | Pumps n ° 8 AVE with motor           |          |
| 213   | 209    | PC         | 800   | 1200      | 400    | 384    | 750    | Molds                                | 250      |
| 214   | 210    | PC         | 800   | 1200      | 400    | 384    | 805    | Molds                                | 250      |
| 215   | 211    | PC         | 800   | 1200      | 550    | 528    | 170    | various hydraulic pumps t            | 250      |
| 216   | 212    | PC         | 800   | 1200      | 550    | 528    | 110    | Pneumatic material and various tubes | 200      |
| 217   | 213    | PC         | 850   | 1250      | 550    | 584    | 170    | Various electrical material          | 100      |
| 218   | 214    | PC         | 800   | 1200      | 550    | 528    | 160    | Material el. + Drives el.            | 100      |
| 219   | 215    | PC         | 800   | 1200      | 950    | 912    | 185    | Hollow reels and coded material      |          |
| 220   | 216    | PC         | 800   | 1200      | 700    | 672    | 185    | crankcase                            | 200      |
| 221   | 217    | PC         | 800   | 1200      | 1200   | 1152   | 125    | Plastic cable holder chain           |          |
| 222   | 218    | PC         | 800   | 1200      | 600    | 576    | 80     | Various electrical material indiv.   | 100      |
| 223   | 219    | PC         | 800   | 1100      | 700    | 616    | 105    | IGUS plastic cable holder chain      |          |
| 224   | 220    | PC         | 800   | 1200      | 500    | 480    | 215    | Screws rds and various               | 300      |
| 225   | 221    | PC         | 800   | 1200      | 500    | 480    | 140    | Carp. Cabinets el. Various           | 200      |

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

| Prog. | PALLET | OFFICE MAG | Width | Length to | Height | Volume | Weight | Content  | Value Kg |
|-------|--------|------------|-------|-----------|--------|--------|--------|--|----------|
| 226   | 222    | PC         | 800   | 1200      | 350    | 336    | 95     | Brushes for punching table                         | 200      |
| 227   | 223    | PC         | 800   | 1200      | 600    | 576    | 300    | fall protection and mechanical materials           | 200      |
| 228   | 224    | PC         | 650   | 1000      | 500    | 325    | 230    | Matrices for angle measurer                        | 300      |
| 229   | 225    | PC         | 1000  | 1400      | 600    | 840    | 980    | Non-coded transformers -rame -                     | 800      |
| 230   | 226    | PC         | 1300  | 1300      | 750    | 1268   | 160    | RCS Zeroing and Frame                              | 200      |
| 231   | 227    | PC         | 800   | 1200      | 450    | 432    | 240    | Guides and various screws and plates               | 200      |
| 232   | 228    | PC         | 800   | 1200      | 800    | 768    | 220    | Oleod flex tubes and electrical sheaths            | 200      |
| 233   | 229    | PC         | 800   | 1200      | 700    | 672    | 395    | RCS NMP 125 Robot Supports                         | 200      |
| 234   | 230    | PC         | 800   | 1200      | 700    | 672    | 75     | Carter + various material to be repaired           | 200      |
| 235   | 231    | PC         | 800   | 1200      | 350    | 336    | 150    | AMK engine and EPB braking systems                 |          |
| 236   | 232    | PC         | 800   | 1200      | 500    | 480    | 100    | sheaths and tubes not identified                   | 100      |
| 237   | 233    | PC         | 1300  | 1200      | 500    | 780    | 125    | Various pipes                                      | 200      |
| 238   | 234    | PC         | 800   | 1200      | 600    | 576    | 110    | Mat. Electric                                      | 100      |
| 239   | 235    | PC         | 800   | 1200      | 700    | 672    | 195    | JA0556501401 RCS robot mechanical parts            | 200      |
| 240   | 236    | PC         | 600   | 800       | 400    | 192    | 125    | Various material TEDA control units + intermediate | 400      |
| 241   | 237    | PC         | 800   | 1200      | 550    | 528    | 150    | Mechanical material and encoder (2)                | 200      |
| 242   | 238    | PC         | 630   | 1250      | 600    | 473    | 180    | Material el. Vario + sheath                        | 200      |
| 243   | 239    | PC         | 1000  | 1200      | 500    | 600    | 245    | Various motors n ° 37 MAE and n ° 8 various        | 500      |
| 244   | 240    | PC         | 1400  | 1400      | 700    | 1372   | 140    | Various flexible hoses                             | 100      |
| 245   | 241    | PC         | 800   | 1200      | 600    | 576    | 180    | Various material sheaths and tubes                 | 100      |
| 246   | 242    | PC         | 800   | 1200      | 1050   | 1008   | 280    | Cables and sheaths ex SHT                          | 100      |
| 247   | 243    | PC         | 600   | 800       | 800    | 384    | 110    | Refrigerator compressor                            |          |
| 248   | 244    | PC         | 800   | 1200      | 500    | 480    | 95     | Grein Barriers                                     | 100      |
| 249   | 245    | PC         | 800   | 2000      | 500    | 800    | 205    | various mechanical and electrical                  | 100      |
| 250   | 246    | PC         | 1000  | 1500      | 900    | 1350   | 255    | Material el. Varied and mechanical                 | 100      |

**The Quantity shown may be subject to change**

*In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.*

| Prog. | PALLET | OFFICE MAG | Width | Length to | Height | Volume | Weight | Content   | Value Kg |
|-------|--------|------------|-------|-----------|--------|--------|--------|---|----------|
| 251   | 247    | PC         | 800   | 1250      | 450    | 450    | 95     | photoelectric barriers + mechanical parts                   | 100      |
| 252   | 248    | PC         | 800   | 1250      | 650    | 650    | 165    | Cables and sheaths + mechanical material                    | 100      |
| 253   | 249    | PC         | 650   | 900       | 500    | 293    | 220    | Motorid., Mat. a Vario and mech. Varied                     | 200      |
| 254   | 250    | PC         | 800   | 1350      | 1250   | 1350   | 140    | Various types of cable chains                               | 200      |
| 255   | 251    | PC         | 1000  | 1400      | 1050   | 1470   | 210    | Fittings el. Teaf. + clamps                                 | 200      |
| 256   | 252-01 | PC         | 730   | 1030      | 1000   | 752    | 480    | various punches   | 300      |
| 257   | 252-02 | PC         | 570   | 730       | 970    | 404    | 270    | various punches   | 300      |
| 258   | 252-03 | PC         | 570   | 730       | 970    | 404    | 245    | various punches   | 300      |
| 259   | 253    | PC         | 730   | 1400      | 630    | 644    | 130    | flexible and hydraulic hoses                                | 100      |
| 260   | 254    | PC         | 800   | 1200      | 1150   | 1104   | 140    | Dot cassettes. Technicians. Various spare parts n. cod.     |          |
| 261   | 255    | PC         | 800   | 1200      | 400    | 384    | 485    | Various molds   | 250      |
| 262   | 256    | PC         | 640   | 730       | 700    | 327    | 90     | BEU012000085 V12 chamfering machine                         |          |
| 263   | 257    | PC         | 800   | 1200      | 550    | 528    | 175    | Pedal board, rec material. Overhauled shears and RG         | 200      |
| 264   | 258    | PC         | 800   | 1200      | 350    | 336    | 675    | Molds   | 250      |
| 265   | 259    | PC         | 800   | 1200      | 1050   | 1008   | 225    | Material el. CNC and Azion. obs.                            | 100      |
| 266   | 261    | PC         | 800   | 1200      | 950    | 912    | 260    | Sheaths elect. Teaflex various sizes                        | 100      |
| 267   | 263    | PC         | 800   | 1200      | 800    | 768    | 140    | Oieod tubes. And pneum.                                     | 100      |
| 268   | 264    | PC         | 800   | 1200      | 750    | 720    | 130    | Keys Sw, Puleg., Various pieces mec. Code no                | 100      |
| 269   | 265    | PC         | 800   | 1200      | 650    | 624    | 205    | LA05612V1078 MECHANICAL PARTS                               | 200      |
| 270   | 266    | PC         | 800   | 1200      | 850    | 816    | 220    | El. Material, pedals cod.                                   | 100      |
| 271   | 267    | PC         | 800   | 1200      | 700    | 672    | 75     | Various electrical material                                 | 100      |
| 272   | 268    | PC         | 1000  | 1000      | 500    | 500    | 650    | Demo molds  | 250      |
| 273   | 269    | PC         | 800   | 1200      | 350    | 336    | 135    | Mechanical spare parts Various cod and non cod.             | 200      |
| 274   | 270    | PC         | 800   | 1200      | 550    | 528    | 265    | Sprockets, queen chain, pins, reducers, mat. Pneum          | 200      |
| 275   | 271    | PC         | 800   | 1200      | 700    | 672    | 130    | Mat. Elect. Cables, mat. Pneum., Various hoses, conditioner | 100      |

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

| Prog. | PALLET | OFFICE MAG | Width | Length to | Height | Volume | Weight | Content   | Value Kg |
|-------|--------|------------|-------|-----------|--------|--------|--------|---|----------|
| 276   | 272    | PC         | 800   | 1200      | 350    | 336    | 355    | Molds   | 250      |
| 277   | 273    | PC         | 800   | 1200      | 350    | 336    | 325    | Molds   | 250      |
| 278   | 274    | PC         | 800   | 1200      | 350    | 336    | 415    | Molds   | 250      |
| 279   | 275    | PC         | 800   | 1200      | 450    | 432    | 145    | MA matrici, Motors, Lines, Mat.El., Filter, Bearings, Pedal     | 200      |
| 280   | 276    | PC         | 800   | 1200      | 500    | 480    | 95     | apsl finger, casing, akas, rg finger, mat. El.,                 | 200      |
| 281   | 277    | PC         | 600   | 900       | 610    | 329    | 35     | Paints, lubricants, resin guns, hazard tape (estimated weight)  | 100      |
| 282   | 278    | PC         | 800   | 1200      | 700    | 672    | 100    | Wiring material (connectors, terminals, ferrules, etc.)         | 100      |
| 283   | 279    | PC         | 950   | 1200      | 350    | 399    | 55     | LA05613V2010 and 2011 carter                                    | 200      |
| 284   | 280    | PC         | 500   | 900       | 450    | 203    | 495    | LA0051170030 bride  | 200      |
| 285   | 281    | PC         | 500   | 900       | 450    | 203    | 365    | LA0051170030 bride  | 200      |
| 286   | 282    | PC         | 800   | 1200      | 700    | 672    | 95     | Micro, pressure switches and el material.                       | 100      |
| 287   | 283    | PC         | 800   | 1200      | 450    | 432    | 65     | Gripper Robot with aluminum parts                               | 400      |
| 288   | 284    | PC         | 800   | 1200      | 600    | 576    | 135    | Bearings, Siemens cables, Bernstein material, sensors and micro | 100      |
| 289   | 285    | PC         | 800   | 1200      | 700    | 672    | 50     | Sheet metal channel for cables and pipes                        | 200      |
| 290   | 286    | PC         | 800   | 1200      | 450    | 432    | 70     | steel ropes, pneum, micro and elastic joints, seeger            | 100      |
| 291   | 287    | PC         | 800   | 1200      | 500    | 480    | 270    | Bosch blocks and valves   | 0,5      |
| 292   | 288    | PC         | 400   | 700       | 500    | 140    | 195    | Bosch valve block   | 0,5      |
| 293   | 289    | PC         | 800   | 1200      | 500    | 480    | 290    | Valves from Bosch and other brands                              | 0,4      |
| 294   | 290    | PC         | 800   | 2500      | 600    | 1200   | 130    | Various carters for presses                                     | 0,2      |
| 295   | 291    | PC         | 1050  | 1400      | 900    | 1323   | 1080   | Screws, tabs, seegers, fittings                                 | 0,2      |
| 296   | 292    | PC         | 800   | 1200      | 650    | 624    | 140    | Brackets, brackets, various fittings, pipes, DP                 | 0,2      |
| 297   | 293    | PC         | 1050  | 1400      | 350    | 515    | 390    | Atos, Bosch blocks and valves                                   | 0,4      |
| 298   | 294    | PC         | 1050  | 1400      | 550    | 809    | 1000   | Blocks Bosch, Atos, and other brands                            | 0,4      |
| 299   | 295    | PC         | 950   | 1200      | 350    | 399    | 255    | DP coded plates and tubes                                       | 0,2      |
| 300   | 296    | PC         | 800   | 1200      | 1000   | 960    | 180    | Paints, paintings el. Demin. Water, helmets, real fittings      | 0,1      |

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

| Prog. | PALLET | OFFICE MAG | Width | Length to | Height | Volume | Weight | Content  | Value Kg |
|-------|--------|------------|-------|-----------|--------|--------|--------|--|----------|
| 301   | 297    | PC         | 800   | 1200      | 800    | 768    | 215    | Screws, suction tube Flanges, castings, intermediaries                       | 0,1      |
| 302   | 298    | PC         | 800   | 1250      | 570    | 570    | 235    | Action Advanced, gaskets, encoders, hydraulic power units.                   | 0,2      |
| 303   | 299    | PC         | 800   | 1200      | 750    | 720    | 415    | Molds  | 0,35     |
| 304   | 301    | PC         | 800   | 1200      | 450    | 432    | 110    | Angle gauge material (cards, penum, other)                                   | 0,1      |
| 305   | 302    | PC         | 800   | 1200      | 500    | 480    | 95     | Pipes, Reer Barriers, Cables   | 0,1      |
| 306   | 303    | PC         | 800   | 1200      | 800    | 768    | 140    | Post mechanical arms, suction tubes  | 0,2      |
| 307   | 304    | PC         | 800   | 1200      | 400    | 384    | 75     | Barriers for plasma / laser and grein  | 0,1      |
| 308   | 305    | PC         | 800   | 1200      | 550    | 528    | 45     | Cable chain for Plasma   | 0,1      |
| 309   | 306    | PC         | 800   | 1200      | 550    | 528    | 130    | Hydraulic fittings, contactors and sealing rings                             | 0,2      |
| 310   | 307    | PC         | 800   | 1200      | 550    | 528    | 35     | Reer barriers and supports   | 0,1      |
| 311   | 308    | PC         | 800   | 1200      | 1430   | 1373   | 140    | Switchboards   | 0,2      |
| 312   | 309    | PC         | 800   | 1200      | 400    | 384    | 405    | Molds  | 0,35     |
| 313   | 310    | PC         | 800   | 1200      | 480    | 461    | 165    | Bolts and casings  | 0,2      |
| 314   | 311    | PC         | 800   | 1200      | 1300   | 1248   | 385    | Mechanical spare parts, pressure gauges, gaskets, RG, Pneum., Stock sectors. | 0,1      |
| 315   | 312    | PC         | 650   | 900       | 780    | 456    | 75     | Incomplete hydraulic power unit  | 0,2      |
| 316   | 313    | PC         | 800   | 1200      | 350    | 336    | 185    | Tie rod, Drawn plates and clamps   | 0,2      |
| 317   | 314    | PC         | 800   | 1200      | 500    | 480    | 85     | Plasma torch with tubes, various casings and plasma material                 | 0,2      |
| 318   | 315    | PC         | 800   | 1200      | 800    | 768    | 145    | Box with sheath for bands, rubber profile and plastic connectors             | 0,1      |
| 319   | 316    | PC         | 800   | 550       | 500    | 220    | 200    | Flanges for cylinders, cyl. Pneumax, other mechanical parts                  | 0,25     |
| 320   | 317    | PC         | 800   | 1200      | 400    | 384    | 300    | Studs and tie rods (Bolts)   | 0,35     |
| 321   | 318    | PC         | 800   | 1200      | 450    | 432    | 290    | Tie rod for RCS, plates for punching machines                                | 0,35     |
| 322   | 319    | PC         | 800   | 1200      | 650    | 624    | 125    | Various punches (Rainer), documentar. Oil                                    | 0,4      |
| 323   | 320    | PC         | 800   | 1200      | 450    | 432    | 130    | Engines, Drive RCS robot wiring  | 0,2      |
| 324   | 321    | PC         | 800   | 1200      | 800    | 768    | 135    | Pedal board, el cards. Ev pneum., M30 bolts.                                 | 0,1      |

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

| Prog. | PALLET | OFFICE MAG | Width | Length to | Height | Volume | Weight | Content   | Value Kg |
|-------|--------|------------|-------|-----------|--------|--------|--------|---|----------|
| 325   | 322    | PC         | 600   | 800       | 310    | 149    | 70     | Cylinder  | 0,5      |
| 326   | 323    | PC         | 800   | 1200      | 450    | 432    | 125    | Angle gauge, MPSC heads, bronze compasses, GADE pedal set             | 0,2      |
| 327   | 324    | PC         | 800   | 1200      | 600    | 576    | 135    | Rows Givi, GRIPPER, Cards for NC, dies Mis. Corner                    | 0,25     |
| 328   | 325    | PC         | 800   | 1200      | 450    | 432    | 145    | Bolts, brackets and supports, anchoring screws                        | 0,2      |
| 329   | 326    | PC         | 800   | 1200      | 450    | 432    | 80     | Motor plates, chain p. cables, filters for machines Clean oil, gauges | 0,2      |
| 330   | 327    | PC         | 800   | 1200      | 500    | 480    | 270    | Pumps (9), valve blocks, bosch valves                                 | 0,5      |
| 331   | 328    | PC         | 800   | 1200      | 1100   | 1056   | 165    | Various cables, Teaflex fittings, Tecnos Display                      | 0,1      |
| 332   | 329    | PC         | 800   | 600       | 1000   | 480    | 85     | Action Siemens, Siemens Display, Siemens Cables                       | 0,1      |
| 333   | 330    | PC         | 800   | 1600      | 1000   | 1280   | 495    | Cylinder assembly equipment   | 0,1      |
| 334   | 331    | PC         | 800   | 1200      | 500    | 480    | 85     | Cabinet   |          |
| 335   | 332    | PC         | 800   | 1250      | 600    | 600    | 280    | Mechanical equipment and spare parts                                  | 0,2      |
| 336   | 333    | PC         | 1000  | 1200      | 350    | 420    | 265    | Plates for HFBS, Strikes for post mechanics, various spare parts      | 0,2      |
| 337   | 334    | PC         | 800   | 1250      | 600    | 600    | 455    | Machine assembly equipment  | 0,2      |
| 338   | 335    | PC         | 800   | 1250      | 600    | 600    | 155    | Robot fixing plates and HFBS machine lifting pins                     | 0,2      |
| 339   | 337    | PC         | 800   | 1200      | 700    | 672    | 100    | Seals, bearings, belts and other spare parts in general (SAT)         | 0,1      |
| 340   | 338    | PC         | 800   | 1200      | 500    | 480    | 155    | Gripper Robot, and parts of HFBS                                      | 0,1      |
| 341   | 339    | PC         | 800   | 1200      | 1300   | 1248   | 105    | Hydraulic unit  | 0,2      |
| 342   | 340    | PC         | 800   | 1200      | 800    | 768    | 200    | Transformer and mechanical spare parts (copper)                       | 0,8      |
| 343   | 341    | PC         | 600   | 1100      | 850    | 561    | 95     | Tubes, prof. Rubber, mater. Electr.                                   | 0,1      |
| 344   | 343    | PC         | 800   | 1200      | 700    | 672    | 215    | Continuity Groups, Server Varese                                      |          |
| 345   | 347    | PC         | 800   | 1200      | 650    | 624    | 280    | Press assembly equipment  | 0,2      |
| 346   | 348    | PC         | 850   | 1250      | 350    | 372    | 220    | (HFBS, Pedalboard cables, Bosch blocks), Plasma gas valves            | 0,5      |
| 347   |        |            |       |           |        |        |        | Screws, fittings Idr. E Pneum., Carter not cod., Box with cons.       |          |
| 348   | 349    | PC         | 1200  | 1500      | 550    | 990    | 305    | Hyperterm   | 0,2      |
| 349   | 352    | PC         | 800   | 1650      | 55     | 73     | 160    | Mecc. Prototype rear for BSTS ECO (incomplete)                        | 0,5      |

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

| Prog.                       | PALLET | OFFICE MAG | Width | Length to | Height | Volume | Weight | Content  | Value Kg |
|-----------------------------|--------|------------|-------|-----------|--------|--------|--------|--|----------|
| 350                         | 356    | PC         | 800   | 1200      | 600    | 576    | 110    | Bellows, Gasket Various, Atos Valves, Various Bride  | 0,2      |
| 351                         |        |            |       |           |        |        |        | Springs, Bearing blocks, Centr. PILZ, Gasket, Spare parts for  |          |
| 352                         | 357    | PC         | 800   | 1200      | 1050   | 1008   | 735    | punching machine, other ric. Mechanics   | 0,25     |
| 353                         | 358    |            | 800   | 1200      | 730    | 701    | 330    | Rows ott., Bar. Grein, CNC T1, Scat, El. Command, laser material, cables, encoders, belts, Cat. Cable holder | 0,2      |
| 354                         | 359    | PC         | 1200  | 1900      | 600    | 1368   | 120    | Side doors   | 0,3      |
| 355                         | 361    | PC         | 800   | 1200      | 700    | 672    | 245    | Attr. Varia, Cables, punching turret, plasma torch   | 0,1      |
| 356                         | 362    | PC         | 800   | 1200      | 800    | 768    | 275    | Yellow plastic chain to delimit work or danger areas   | 0,1      |
| 357                         | 363    | PC         | 800   | 1200      | 700    | 672    | 155    | Oilproof rubber, el grips. On the wall, neon lamp  | 0,1      |
| 358                         | 364    | PC         | 800   | 1200      | 600    | 576    | 100    | Poles for yellow chain support and wall plugs  | 0,1      |
| 359                         | 366    | PC         | 900   | 1200      | 500    | 540    | 130    | NO. 5 DIES + Used parts of FIM Punching Bell   | 0,25     |
| 360                         | -      |            |       |           |        |        | 250    | Prototype EP100 electrical cabinet   |          |
| <b>San Nicolo Warehouse</b> |        |            |       |           |        |        |        |  |          |
| 361                         | 11     | SAN        | 1100  | 2750      | 1150   | 3479   | 10     | Pneumatic parts  |          |
| 362                         | 49-01  | SAN        | 1400  | 1700      | 1500   | 3570   | 185    | air tanks  | 0,2      |
| 363                         | 57     | SAN        | 150   | 2670      | 50     | 20     | 30     | Linear guide   | 0,2      |
| 364                         | 64     | SAN        | 900   | 2400      | 450    | 972    | 500    | Sheet loading gripper  | 0,2      |
| 365                         | 68     | SAN        | 1600  | 1250      | 1050   | 2100   | 120    | Cylinder cover HFBS 220  | 0,5      |
| 366                         | 68     | SAN        | 1700  | 800       | 1000   | 1360   | 80     | Cylinder cover HFBS 220  | 0,5      |
| 367                         | 69     | SAN        | 1600  | 1200      | 1050   | 2016   | 250    | Carter HFB 170   | 0,2      |
| 368                         | 72     | SAN        | 1500  | 1100      | 960    | 1584   | 125    | Carter cover cylinder HFBS125  | 0,2      |
| 369                         | 73     | SAN        | 1450  | 1200      | 700    | 1218   | 125    | Carter cover cylinder HFBS125  | 0,2      |
| 370                         | 74     | SAN        | 800   | 3700      | 580    | 1717   | 370    | Lifting equipment  | 0,2      |
| 371                         | 75     | SAN        | 800   | 2000      | 580    | 928    | 185    | Lifting equipment  | 0,2      |
| 372                         | 76     | SAN        | 2000  | 800       | 1150   | 1840   | 130    | Carter cover cylinder  | 0,2      |

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

| Prog. | PALLET | OFFICE MAG | Width | Length to | Height | Volume | Weight | Content  | Value Kg |
|-------|--------|------------|-------|-----------|--------|--------|--------|--|----------|
| 373   | 79     | SAN        | 2200  | 3300      | 2300   | 16698  | 700    | Carter cover various crosspieces                                       | 0,2      |
| 374   | 82-01  | SAN        | 1400  | 1400      | 1350   | 2646   | 75     | Cable sheaths  | 0,2      |
| 375   | 95     | SAN        |       |           |        | 0      | 400    | TUBULAR BEAMS  | 0,2      |
| 376   | 97     | SAN        | 1000  | 1900      | 450    | 855    | 300    | False Goosenecks HFBS100   | 0,3      |
| 377   | 98     | SAN        | 900   | 2150      | 700    | 1355   | 600    | False Goosenecks HFBS100   | 0,3      |
| 378   | 102-01 | SAN        | 1200  | 1330      | 450    | 718    | 650    | French mechanics   | 0,4      |
| 379   | 102-02 | SAN        | 1200  | 1330      | 450    | 718    | 650    | French mechanics   | 0,4      |
| 380   | 102-03 | SAN        | 800   | 2650      | 450    | 954    | 150    | Pneumax pneumatic cylinders for RCS Cartesian robots (MEASURES)        | 0,4      |
| 381   | 102-04 | SAN        | 800   | 2650      | 450    | 954    | 180    | Traverse for French Mechanics  | 0,25     |
| 382   | 103    | SAN        | 850   | 2400      | 650    | 1326   | 500    | Blades and tie rods  | 0,25     |
| 383   | 104    | SAN        | 250   | 1700      | 350    | 149    | 130    | Recirculating screws Of spheres  | 0,5      |
| 384   | 105    | SAN        | 1010  | 1050      | 1650   | 1750   | 200    | Various engines n ° 50   |          |
| 385   | 106    | SAN        | 170   | 2400      | 230    | 94     | 60     | Blades and tie rods  | 0,25     |
| 386   | 109    | SAN        | 1900  | 1200      | 350    | 798    | 268    | False swan necks   | 0,3      |
| 387   | 113    | SAN        | 800   | 1750      | 1100   | 1540   | 150    | Shooting group   | 0,2      |
| 388   | 115    | SAN        | 1400  | 1500      | 600    | 1260   | 120    | CNC and Barrotto support   | 0,2      |
| 389   | 130    | SAN        |       |           |        | 0      | 160    | Parts of RCS beam supports (out of gauge)                              | 0,2      |
| 390   | 131    | SAN        |       |           |        | 0      | 270    | three-piece RCS beam supports (oversized)                              | 0,2      |
| 391   | 132-01 | SAN        |       |           |        | 0      | 180    | Parts of RCS beam supports (out of gauge)                              | 0,2      |
| 392   | 132-02 | SAN        |       |           |        | 0      | 180    | Parts of RCS beam supports (out of gauge)                              | 0,2      |
| 393   | 143    | SAN        |       |           |        | 0      | 100    | Case with linear guides and recirc. Spheres                            | 0,5      |
| 394   | 159    | SAN        | 1100  | 3700      | 600    | 2442   | 800    | Traverse   | 0,3      |
| 395   |        |            |       |           |        |        |        | 10 boxes of linear guides, two linear guides, two boxes of runners, 11 |          |
| 396   | 160    | SAN        | 1200  | 3300      | 800    | 3168   | 350    | racks  | 0,5      |
| 397   | 161    | SAN        | 1000  | 3950      | 450    | 1778   | 150    | carter + millimeter lines  | 0,2      |

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.



| Prog. | PALLET | OFFICE MAG | Width | Length to | Height | Volume | Weight | Content  | Value Kg |
|-------|--------|------------|-------|-----------|--------|--------|--------|--|----------|
| 398   | 162    | SAN        | 1100  | 3400      | 300    | 1122   | 250    | Guides   | 0,5      |
| 399   | 163    | SAN        | 300   | 3000      | 350    | 315    | 85     | ball screws + guides                                   | 0,5      |
| 400   | 170-01 | SAN        | 1000  | 1300      | 1750   | 2275   | 110    | bearings and seals                                     | 0,2      |
| 401   | 176-01 | SAN        | 800   | 2700      | 600    | 1296   | 150    | chain support cover                                    | 0,2      |
| 402   | 176-02 | SAN        | 800   | 2700      | 600    | 1296   | 150    | chain support cover                                    | 0,2      |
| 403   | 176-03 | SAN        | 800   | 2700      | 600    | 1296   | 150    | chain support cover                                    | 0,2      |
| 404   | 176-04 | SAN        | 800   | 3200      | 500    | 1280   | 150    | chain support cover                                    | 0,2      |
| 405   | 181    | SAN        | 1200  | 2000      | 800    | 1,92   | 120    | rilsan tube + various frames                           | 0,1      |
| 406   | 191    | SAN        | 150   | 2700      | 250    | 101    | 40     | linear guide   | 0,2      |
| 407   | 193    | SAN        | 800   | 2100      | 600    | 1008   | 120    | crankcase  | 0,2      |
| 408   | 260    | SAN        |       |           |        | 0      | 75     | 520x520 zeroing unit with anthrop robot pick-up plane. | 0,2      |
| 409   | 336    | SAN        | 1050  | 1400      | 900    | 1,32   | 215    | CNC Sirio, Mind and other CNC parts                    | 0,1      |
| 410   | 342    | SAN        | 1100  | 2600      | 350    | 1      | 230    | Rear mechanics Ex RG80 / 3000                          | 0,5      |
| 411   | 355    | SAN        | 1100  | 2200      | 800    | 1,94   | 160    | HFBSL 170 Cylinder Carter                              | 0,2      |
| 412   | 360    | SAN        | 1050  | 4200      | 870    | 3837   | 150    | Parts of Mecc. CN600, Screw RAS, Carter Mecc. CN 600   | 0,2      |
| 413   | 368    | SAN        |       |           |        | 0      | 540    | Shelving (floor lamps)                                 | 0,25     |
| 414   | 369    | SAN        |       |           |        | 0      | 540    | Shelving (floor lamps)                                 | 0,25     |
| 415   | 370    | SAN        |       |           |        | 0      | 540    | Shelving (floor lamps)                                 | 0,25     |
| 416   | 371    | SAN        |       |           |        | 0      | 540    | Shelving (floor lamps)                                 | 0,25     |
| 417   | 372    | SAN        |       |           |        | 0      | 540    | Shelving (floor lamps)                                 | 0,25     |
| 418   | 373    | SAN        |       |           |        | 0      | 540    | Shelving (floor lamps)                                 | 0,25     |
| 419   | 374    | SAN        |       |           |        | 0      | 360    | Shelving (floor lamps)                                 | 0,25     |
| 420   | 375    | SAN        |       |           |        | 0      | 750    | Shelving (crosspieces)                                 | 0,25     |
| 421   | 376    | SAN        |       |           |        | 0      | 750    | Shelving (crosspieces)                                 | 0,25     |
| 422   | 377    | SAN        |       |           |        |        | 750    | Shelving (crosspieces)                                 | 0,25     |

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

| Prog. | PALLET | OFFICE MAG | Width | Length to | Height | Volume | Weight | Content                               | Value Kg |
|-------|--------|------------|-------|-----------|--------|--------|--------|---------------------------------------|----------|
| 423   | 378    | SAN        |       |           |        |        | 750    | Shelving (crosspieces)                | 0,25     |
| 424   | 379    | SAN        |       |           |        |        | 750    | Shelving (crosspieces)                | 0,25     |
| 425   | 380    | SAN        |       |           |        |        | 750    | Shelving (crosspieces)                | 0,25     |
| 426   | 381    | SAN        |       |           |        |        | 750    | Shelving (crosspieces)                | 0,25     |
| 427   | 382    | SAN        |       |           |        |        | 750    | Shelving (crosspieces)                | 0,25     |
| 428   | 383    | SAN        |       |           |        |        | 750    | Shelving (crosspieces)                | 0,25     |
| 429   | 384    | SAN        |       |           |        |        | 750    | Shelving (crosspieces)                | 0,25     |
| 430   | 385    | SAN        |       |           |        |        | 700    | Shelving (shelves)                    | 0,25     |
| 431   | 386    | SAN        |       |           |        |        | 700    | Shelving (shelves)                    | 0,25     |
| 432   | 387    | SAN        |       |           |        |        | 700    | Shelving (shelves)                    | 0,25     |
| 433   | 388    | SAN        |       |           |        |        | 700    | Shelving (shelves)                    | 0,25     |
| 434   | 389    | SAN        |       |           |        |        | 700    | Shelving (shelves)                    | 0,25     |
| 435   | 390    | SAN        |       |           |        |        | 700    | Shelving (shelves)                    | 0,25     |
| 436   | -      | SAN        |       |           |        |        | 650    | APS2 crosspiece (LA05631V0613)        | 0,2      |
| 437   | -      | SAN        |       |           |        |        | 4500   | Yellow equipment (estimated weight)   | 0,2      |
| 438   | -      | SAN        |       |           |        |        | 600    | Traverses / Basins (estimated weight) | 0,2      |

**The Quantity shown may be subject to change**

*In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.*